


IN THE CLAIMS

Please amend the claims as follows:

Claims 1-2 (Canceled).

Claim 3 (Currently Amended): A method of antifouling and washing hard surfaces of toilet bowls, comprising:

treating the surfaces with an antifouling detergent composition comprising a polymer having a weight-average molecular weight of 5,000 to 60,000 and having a consisting essentially of monomer unit A and monomer unit B, wherein the molar ratio of monomer unit A/[monomer unit A+ monomer unit B] is 2/3 to 0.9 wherein the monomer unit A is di (ω -alkenyl (C₂-C₁₀)-dialkyl (C₁- C₃) ammonium salt ~~derived from a compound represented by the formula (1) below~~ in an amount of 10 to 90 mol-% relative to the whole monomer units,



wherein R^1 , R^2 , and R^3 each represent a hydrogen atom, a hydroxyl group or a C_{1-3} alkyl group;

~~X is a group selected from the group consisting of a C₁₋₁₂ alkylene group;~~

$$R^4 \text{ represents } R^1 R^2 C=C(R^3)-X;$$

~~R⁵ represents a C₁₋₃ alkyl group, a C₁₋₃ hydroxyalkyl group or a benzyl group;~~

~~R⁶ represents a C₁₋₁₀-alkyl group; and~~

~~Z⁻ represents an anion;~~

the monomer B is at least one monomer derived from a monomer selected from the following groups

~~(i) An anionic group-containing compound selected from acrylic acid or salts thereof, methacrylic acid or salts thereof, maleic acid or salts thereof, maleic anhydride, styrene sulfonate, 2-acrylamido-2-methylpropanesulfonic acid or salts thereof, allyl sulfonate, vinyl sulfonate, methallyl sulfonate, sulfopropyl methacrylate and mono- α -methacryloyloxyalkyl(C1 to 12)-phosphate;~~

~~(ii) An amide group-containing compound selected from acryl(or methacryl)amide, N,N-dimethylaminopropylacryl(or methacryl)amide, N,N-dimethylacryl(or methacryl)amide, N,N-dimethylaminoethylacryl(or methacryl)amide, N,N-dimethylaminomethylacryl(or methacryl)amide, N-vinyl-2-caprolactam, and N-vinyl-2-pyrrolidone~~

~~(iii) An ester group-containing compound selected from alkyl(C1 to C5) acrylate(or methacrylate), 2-hydroxyethyl acrylate(or methacrylate), N,N-dimethylaminoalkyl(C1 to 5) acrylate(or methacrylate), and vinyl acetate;~~

~~(iv) A compound selected from ethylene, propylene, n-butylene, isobutylene, n-pentene, isoprene, 2-methyl-1-butene, n-hexene, 2-methyl-1-pentene, 3-methyl-1-pentene, 4-methyl-1-pentene, 2-ethyl-1-butene, styrene, vinyl toluene, α -methyl styrene, ethylene oxide, propylene oxide, 2-vinyl pyridine and 4-vinyl pyridine.~~

Claim 4-11 (Canceled).

Claim 12 (previously presented): The method according to claim 3, wherein the antifouling detergent composition further comprises a surfactant.

Claim 13 (previously presented): The method according to claim 12, wherein an amount of the surfactant is 0.001 to 50 mass-%.

Claim 14 (previously presented): The method according to claim 3, wherein the antifouling detergent composition further comprises a water-soluble solvent.

Claim 15 (previously presented): The method according to claim 14, wherein an amount of the water-soluble solvent is 0.1 to 50 mass-%.

Claims 16-17 (canceled):